



JINTEX

Sewing Machine Spare Parts

Siruba F007J / F007JD

Sewing Machine Part Book


28 pages

SIRUBA®



銀箭牌工業用縫紉機
INDUSTRIAL SEWING MACHINE

F007J/F007JD

零件圖 PARTS LIST






高林股份有限公司
KAULIN MFG. CO., LTD.

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號
F007J-W121	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10
F007J-W121 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10
F007J-U121	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10
F007J-U121 /UTH(UTK)	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10
F007J-W122	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10
F007J-W122 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10
F007J-U122	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10
F007J-U122 /UTH(UTK)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10

註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565代替P2544/P2545
P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466代替P2446/2447


規格件表 CONVERSION CHART-1

規格件表 CONVERSION CHART-2

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號
F007J-U122/FP	232	M5232	E 1613	D1206	H1257	P4011	ME28P	—	TV*5 #14
F007J-W 123	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E 1535 E 1836 E 1837	D1206 D1206 D1207 D1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10
F007J-W 123/UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E 1535 E 1836 E 1837	D1206 D1206 D1207 D1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10
F007J-W162	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446 P2447	ME28A	MH41	TV*5 #14~16
F007J-U162	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446 P2447	ME28A	—	TV*5 #14~16
F007J-W162 UTG(UTJ)	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446 P2447	ME28A	MH41	TV*5 #14~16
F007J-U 162/UTH(UTK)	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446 P2447	ME28A	—	TV*5 #14~16
F007J-W222/FQ	232 240 248 356 364	M5232 M5240 M5248 M5356 M5364	E 3023 E 3024 E 3025 E 3326 E 3327	D1215 D1215 D1215 D1216 D1216	H1261 H1261 H1261 H1262 H1262	P1813 P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10
F007J-W222/UTG(UTJ)/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10
F007J-U 222/UTH(UTK)/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10

註：P2544/2545 為固定式押具舌,亦可使用活動式押具舌 P2565代替P2544/P2545

P2446/2447 為固定式押具舌,亦可使用活動式押具舌 P2466代替P2446/2447

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號
F007J-W222 /FQ/FEC(FAC)	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814 P 1815 P2116 P2117	ME28	MH41	UY128GAS #10
F007J-U222 /FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P2314 P2315 P2616 P2617	ME28	—	UY128GAS #10
F007J-W222A FQ/FEC(FAC)	240 248 356 364	M5240 M5248 M5356 M5364	E 3124 E 3125 E 3426 E 3427	D 1315 D 1315 D 1316 D 1316	H 1261 H 1261 H 1262 H 1262	P1914 P 1915 P2216 P2217	ME28	MH41	UY128GAS #10
F007J-W222 /FFD(FFP)	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814 P 1815 P2116 P2117	ME28	MH41	UY128GAS #10
F007J-U222 /FFD(FFP)	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P2314 P2315 P2616 P2617	ME28	—	UY128GAS #10
F007J-W222 /FSM	240-4 248-4 364-4	M5240P M5248P M5364P	E 3724 E 3725 E 3727	D 1516	H 1262 H 1262 H 1262	P2714 P2715 P2717	ME28	MH41	UY128GAS #10
F007J-W322 /FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446 P2447	ME28	MH41	UY128GAS #10
F007J-W322 /UTG(UTJ)/FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446 P2447	ME28	MH41	UY128GAS #10
F007J-U322 /FDC	356 364	M5356 M5364	E 4826 E 4827	D 1207 D 1207	H 1359 H 1359	P2446 P2447	ME28	—	UY128GAS #10

W222A-FAC(FEC) 短 切 刀

W222-FAC(FEC) 長 切 刀




註：P2544/2545 為固定式押具舌,亦可使用活動式押具舌 P2565代替P2544/P2545

P2446/2447 為固定式押具舌,亦可使用活動式押具舌 P2466代替P2446/2447



規格件表 CONVERSION CHART-3

規格件表 CONVERSION CHART-4

4

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號
F007J-U322 /UTH(UTK)/FDC	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	—	UY128GAS #10
F007J-W322 /FDE	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446 P2447	ME28	MH41	UY128GAS #10
F007J-W322 /UTG(UTJ)/FDE	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446 P2447	ME28	MH41	UY128GAS #10
F007J-U322 /FDE	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446 P2447	ME28	—	UY128GAS #10
F007J-U322 /UTH(UTK)/FDE	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446 P2447	ME28	—	UY128GAS #10
F007J-W522 /FE(FFC)/FR	232 240 248 356 364	M5232 M5240 M5248 M5356 M5364	E 6023 E 6024 E 6025 E 6326 E 6327	D 2221 D 2221 D 2221 D 2222 D 2222	H 2267 H 2267 H 2267 H 2268 H 2268	P2813 P2814 P2815 P3116 P3117	ME28	MH41	UY128GAS #10
F007J-U522 /FE(FFC)/FR	240 248 356 364	M5240 M5248 M5356 M5364	E 6024 E 6025 E 6326 E 6327	D 2221 D 2221 D 2222 D 2222	H 2267 H 2267 H 2268 H 2268	P2814 P2815 P3116 P3117	ME28	—	UY128GAS #10




註： F007J-W/U322A-³⁵⁶/₃₆₄ /FDC 時，該針板與送具改用 F007H-W/U122-³⁵⁶/₃₆₄ 之針板與送具
 註： P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565代替P2544/P2545
 P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466代替P2446/2447





									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主 送 具	差 送 具	押 具	勾 針	上 叉	針 號
F007J-W512 /FE(FFC)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P 2914 P 2915 P 3216 P 3217	ME28	MH41	UY128GAS #10
F007J-U512 /FE(FFC)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P 3414 P 3415 P 3716 P 3717	ME28	—	UY128GAS #10

註：F007J-W/U322A-³⁵⁶/₃₆₄ /FDC 時，該針板與送具改用 F007H-W/U122-³⁵⁶/₃₆₄ 之針板與送具
 註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565 代替 P2544/P2545
 P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466 代替 P2446/2447

規格件表 CONVERSION CHART-6

6

									
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號
F007J- U613 /FBP	256	M5356	E 1836L	D 1207	H 1259	P 4000	ME28	—	TV*5 #14~18
	264	M5364	E 1837L	D 1207	H 1259	P 4001	ME28	—	
F007J- U712	264	M5264	E 5827	D 5207	H 5259	P 4117	ME28	—	TV*3 #11~16
F007J- U712 /FSP	264	M5264	E 5827	D 5207	H 5259	P5117(成品寬1.0mm用)	FS03/04	—	TV*3 #11~16
F007J- U712A /FSP	264	M5264	E 5827	D 5207	H 5259	P5118(成品寬1.2mm用)	FS03/04	—	TV*3 #11~16
F007J- U712 /FSR	264	M5264	E 5927	D 5307	H 5359	P 4217	FS03/04	—	TV*7 #12~14
F007J- W722 /FY	388	M4388	E 6828	D 6207	H 6259	P 6117	FS03/04/FY02	FY09	TV*7 #12
F007J- W922 /FW(FWP)	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428P P2438P P2448P	FW28	MH41	SM1014B #10 (MY1014B #70 ,SY7256)

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W121	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	T6401UHM
F007JD-W121 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-U121	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10	
F007JD-U121 /UTH(UTK)	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10	
F007JD-W122	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-W122 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-U122	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10	
F007JD-U122 /UTH(UTK)	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10	




註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565代替P2544/P2545

P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466代替P2446/2447



規格件表 CONVERSION CHART-7

規格件表 CONVERSION CHART-8

8

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-U122 /FP	232	M5232	E 1613	D 1206	H 1257	P 4011	ME28P	—	TV*5 #14	□ T6401UHM
F007JD-W123	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E1535 E 1836 E 1837	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-W 123 /UTG(UTJ)	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E1535 E 1836 E 1837	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-W 162	356 364	M5356 M5364	E 1846 E 1847	D 1207 D 1207	H 1259 H 1259	P2446 P2447	ME28A	MH41	TV*5 #14~16	
F007JD-U 162	356 364	M5356 M5364	E 1846 E 1847	D 1207 D 1207	H 1259 H 1259	P2446 P2447	ME28A	—	TV*5 #14~16	
F007JD-W 162 /UTG(UTJ)	356 364	M5356 M5364	E 1846 E 1847	D 1207 D 1207	H 1259 H 1259	P2446 P2447	ME28A	MH41	TV*5 #14~16	
F007JD-U 162 /UTH(UTK)	356 364	M5356 M5364	E 1846 E 1847	D 1207 D 1207	H 1259 H 1259	P2446 P2447	ME28A	—	TV*5 #14~16	
F007JD-W 222 /FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	
F007JD-W 222 /UTG(UTJ)/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	
F007JD-U 222 /UTH(UTK)/FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D 1215 D 1215 D 1216 D 1216	H 1261 H 1261 H 1262 H 1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	

註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565 代替 P2544/P2545
P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466 代替 P2446/2447

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W222 /FQ/FEC(FAC)	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	T6401UHM
F007JD-U222 /FQ	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P2314 P2315 P2616 P2617	ME28	—	UY128GAS #10	
F007JD-W222A FQ/FEC(FAC)	240 248 356 364	M5240 M5248 M5356 M5364	E 3124 E3125 E 3426 E 3427	D1315 D1315 D1316 D1316	H1261 H1261 H1262 H1262	P1914 P1915 P2216 P2217	ME28	MH41	UY128GAS #10	
F007JD-W222 /FFP	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	
F007JD-U222 /FFP	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P2314 P2315 P2616 P2617	ME28	—	UY128GAS #10	
F007JD-W322 /FDC	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-W322 /UTG(UTJ)/FDC	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-U322 /FDC	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	—	UY128GAS #10	
F007JD-U322 /UTH(UTK)/FDC	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	—	UY128GAS #10	

W222A-FAC(FEC) 短 切 刀

W222-FAC(FEC) 長 切 刀





註：P2544/2545 為固定式押具舌,亦可使用活動式押具舌 P2565代替P2544/P2545

P2446/2447 為固定式押具舌,亦可使用活動式押具舌 P2466代替P2446/2447

規格件表 CONVERSION CHART-9





規格件表 CONVERSION CHART-10

10

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W322 /FDE	356 364	M5356 M5364	E 4836M E 4837M	D 1207 D 1207	H 1459 H 1459	P2446 P2447	ME28	MH41	UY128GAS #10	T6401UHM
F007JD-W322 /UTG(UTJ)/FDE	356 364	M5356 M5364	E 4836M E 4837M	D 1207 D 1207	H 1459 H 1459	P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-U322 /FDE	356 364	M5356 M5364	E 4836M E 4837M	D 1207 D 1207	H 1459 H 1459	P2446 P2447	ME28	—	UY128GAS #10	
F007JD-U322 /UTH(UTK)/FDE	356 364	M5356 M5364	E 4836M E 4837M	D 1207 D 1207	H 1459 H 1459	P2446 P2447	ME28	—	UY128GAS #10	
F007JD-W522 /FE/FR	240 248 356 364	M5240 M5248 M5356 M5364	E 6024 E 6025 E 6326 E 6327	D 2221 D 2221 D 2222 D 2222	H 2267 H 2267 H 2268 H 2268	P2814 P2815 P3116 P3117	ME28	MH41	UY128GAS #10	
F007JD-U522 /FE/FR	240 248 356 364	M5240 M5248 M5356 M5364	E 6024 E 6025 E 6326 E 6327	D 2221 D 2221 D 2222 D 2222	H 2267 H 2267 H 2268 H 2268	P2814 P2815 P3116 P3117	ME28	—	UY128GAS #10	
F007JD-W512 /FE	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P 2914 P 2915 P 3216 P 3217	ME28	MH41	UY128GAS #10	
F007JD-U512 /FE	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P 3414 P 3415 P 3716 P 3717	ME28	—	UY128GAS #10	




註：F007JD-W/U322A-³⁵⁶/₃₆₄ /FDC 時，該針板與送具改用 F007H-W/U122-³⁵⁶/₃₆₄ 之針板與送具

註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565 代替 P2544/P2545
P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466 代替 P2446/2447

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-U613 /FBP	256	M5356	E 1836L	D1207	H1259	P4000	ME28	—	TV*5 #14~18	田 T6401UHM
	264	M5364	E 1837L	D1207	H1259	P4001	ME28	—		
F007JD-U712	264	M5264	E 5827	D 5207	H 5259	P4117	ME28	—	TV*3 #11~16	
F007JD-U712 /FSP	264	M5264	E 5827	D 5207	H 5259	P5117(減品寬1.0mm用)	FS03/04	—	TV*3 #11~16	
F007JD-U712A /FSP	264	M5264	E 5827	D 5207	H 5259	P5118(減品寬1.2mm用)	FS03/04	—	TV*3 #11~16	
F007JD-U712 /FSR	264	M5264	E 5927	D 5307	H 5359	P4217	FS03/04	—	TV*7 #12~14	
F007JD-W722 /FY	388	M4388	E 6828	D 6207	H 6259	P6117	FS03/04/FY02	FY09	TV*7 #12	
F007JD-W922 /FW(FWP)	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428P P2438P P2448P	FW28	MH41	SM1014B #10 (MY1014B #70 ,SY7256)	



F007J: 為一般馬達,外置式機種 ; F007JD: 為加裝直驅伺服馬達機種

規格件表 CONVERSION CHART-12

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W121/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	T6400UPM
F007JD-W121/UTG(UTJ)/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-U121/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10	
F007JD-U121/UTH(UTK)/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1514 E 1515 E 1816 E 1817	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10	
F007JD-W122/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-W122/UTG(UTJ)/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-U122/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10	
F007JD-U122/UTH(UTK)/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D 1206 D 1206 D 1207 D 1207	H 1258 H 1258 H 1259 H 1259	P2544 P2545 P2446 P2447	ME28	—	UY128GAS #10	

註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565 代替 P2544/P2545

P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466 代替 P2446/2447

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-U122 /FP/K	232	M5232	E 1613	D1206	H1257	P4011	ME28P	—	TV*5 #14	□ T6400UPM
F007JD-W123 /K	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E1535 E 1836 E 1837	D1206 D1206 D1207 D1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-W123 /UTG(UTJ)/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1534 E1535 E 1836 E 1837	D1206 D1206 D1207 D1207	H1258 H1258 H1259 H1259	P2544 P2545 P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-W162 /K	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446 P2447	ME28A	MH41	TV*5 #14~16	
F007JD-U162 /K	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446 P2447	ME28A	—	TV*5 #14~16	
F007JD-W162 /UTG(UTJ)/K	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446 P2447	ME28A	MH41	TV*5 #14~16	
F007JD-U162 /UTH(UTK)/K	356 364	M5356 M5364	E 1846 E 1847	D1207 D1207	H1259 H1259	P2446 P2447	ME28A	—	TV*5 #14~16	
F007JD-W222 /FQ/K	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	
F007JD-W222 /UTG(UTJ)/FQ/K	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	
F007JD-U222 /UTH(UTK)/FQ/K	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	



註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565 代替 P2544/P2545

P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466 代替 P2446/2447

規格件表 CONVERSION CHART-13

規格件表 CONVERSION CHART-14

14





										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W222 /FQ/FEC(FAC)/K	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	T6400UPM
F007JD-U222 /FQ/K	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P2314 P2315 P2616 P2617	ME28	—	UY128GAS #10	
F007JD-W222A /FQ/FEC(FAC)/K	240 248 356 364	M5240 M5248 M5356 M5364	E 3124 E 3125 E 3426 E 3427	D1315 D1315 D1316 D1316	H1261 H1261 H1262 H1262	P1914 P1915 P2216 P2217	ME28	MH41	UY128GAS #10	
F007JD-W222 /FFP/K	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P1814 P1815 P2116 P2117	ME28	MH41	UY128GAS #10	
F007JD-U222 /FFP/K	240 248 356 364	M5240 M5248 M5356 M5364	E 3024 E 3025 E 3326 E 3327	D1215 D1215 D1216 D1216	H1261 H1261 H1262 H1262	P2314 P2315 P2616 P2617	ME28	—	UY128GAS #10	
F007JD-W322 /FDC/K	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-W322 /UTG(UTJ)/FDC/K	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-U322 /FDC/K	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	—	UY128GAS #10	
F007JD-U322 /UTH(UTK)/FDC/K	356 364	M5356 M5364	E 4826 E 4827	D1207 D1207	H1359 H1359	P2446 P2447	ME28	—	UY128GAS #10	

W222A-FAC(FEC) 短 切 刀

W222-FAC(FEC) 長 切 刀

註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565代替P2544/P2545

P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466代替P2446/2447

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-W322 /FDE/K	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446 P2447	ME28	MH41	UY128GAS #10	T6400UPM
F007JD-W322 /UTG(UTJ)/FDE/K	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446 P2447	ME28	MH41	UY128GAS #10	
F007JD-U322 /FDE/K	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446 P2447	ME28	—	UY128GAS #10	
F007JD-U322 /UTH(UTK)/FDE/K	356 364	M5356 M5364	E 4836M E 4837M	D1207 D1207	H1459 H1459	P2446 P2447	ME28	—	UY128GAS #10	
F007JD-W522 /FE/FR/K	240 248 356 364	M5240 M5248 M5356 M5364	E 6024 E 6025 E 6326 E 6327	D2221 D2221 D2222 D2222	H2267 H2267 H2268 H2268	P2814 P2815 P3116 P3117	ME28	MH41	UY128GAS #10	
F007JD-U522 /FE/FR/K	240 248 356 364	M5240 M5248 M5356 M5364	E 6024 E 6025 E 6326 E 6327	D2221 D2221 D2222 D2222	H2267 H2267 H2268 H2268	P2814 P2815 P3116 P3117	ME28	—	UY128GAS #10	
F007JD-W512 /FE/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D1206 D1206 D1207 D1207	H1258 H1258 H1259 H1259	P2914 P2915 P3216 P3217	ME28	MH41	UY128GAS #10	
F007JD-U512 /FE/K	240 248 356 364	M5240 M5248 M5356 M5364	E 1524 E 1525 E 1826 E 1827	D1206 D1206 D1207 D1207	H1258 H1258 H1259 H1259	P3414 P3415 P3716 P3717	ME28	—	UY128GAS #10	




註：F007JD-W/U322A-³⁵⁶/₃₆₄ /FDC 時，該針板與送具改用 F007H-W/U122-³⁵⁶/₃₆₄ 之針板與送具

註：P2544/2545 為固定式押具舌，亦可使用活動式押具舌 P2565代替P2544/P2545
P2446/2447 為固定式押具舌，亦可使用活動式押具舌 P2466代替P2446/2447

規格件表 CONVERSION CHART-15


規格件表 CONVERSION CHART-16

16

										
MODEL	SUB-CLASS	NEEDLE CLAMP	NEEDLE PLATE	MAIN FEED DOG	DIFF. FEED DOG	PRESSER FOOT	LOOPER	SPREADER	NEEDLE	Motor
機 型	規 格	針 座	針 板	主送具	差送具	押 具	勾 針	上 叉	針 號	馬 達
F007JD-U613 /FBP/K	256	M5356	E 1836L	D1207	H1259	P4000	ME28	—	TV*5 #14~18	T6400UPM
	264	M5364	E 1837L	D1207	H1259	P4001	ME28	—		
F007JD-U712 /K	264	M5264	E 5827	D5207	H5259	P4117	ME28	—	TV*3 #11~16	
F007JD-U712 /FSP/K	264	M5264	E 5827	D5207	H5259	P5117(減品寬1.0mm用)	FS03/04	—	TV*3 #11~16	
F007JD-U712A /FSP/K	264	M5264	E 5827	D5207	H5259	P5118(減品寬1.2mm用)	FS03/04	—	TV*3 #11~16	
F007JD-U712 /FSR/K	264	M5264	E 5927	D5307	H5359	P4217	FS03/04	—	TV*7 #12~14	
F007JD-W722 /FY/K	388	M4388	E 6828	D6207	H6259	P6117	FS03/04/FY02	FY09	TV*7 #12	
F007JD-W922 /FW(FWP)/K	456 460 464	M5456 M5460 M5464	E1828P E1838P E1848P	D1207P	H1259	P2428P P2438P P2448P	FW28	MH41	SM1014B #10 (MY1014B #70 ,SY7256)	


F007J: 為一般馬達,外置式機種 ; F007JD: 為加裝直驅伺服馬達機種


PARTS LIST FOR MB GROUP




FOR F007J/F007JD  FOR F007JD H牌馬達
* USE FOR F007JD  FOR F007JD P牌馬達

PARTS LIST FOR MC GROUP






PARTS LIST FOR MC GROUP




FOR F007J/F007JD
*USE FOR F007JD


PARTS LIST FOR MD GROUP

PARTS LIST FOR MF GROUP






PARTS LIST FOR MG GROUP





PARTS LIST FOR MH GROUP

PARTS LIST FOR MJ GROUP




PARTS LIST FOR MK GROUP







PARTS LIST FOR MK GROUP




PARTS LIST FOR ML GROUP

PARTS LIST FOR MN GROUP


PARTS LIST FOR MN GROUP






FOR F007J/F007JD
*USE FOR F007JD

PARTS LIST FOR MY GROUP



FOR F007J/F007JD
*USE FOR F007JD

PARTS LIST FOR MZ GROUP





F007J/F007JD

高林股份有限公司 KAULIN MFG. CO., LTD.

jintex.in